

Certification: Interactive Metronome for Pediatrics & Adults

POST-TEST ANSWER KEY

- 1. Which of the following are allowed during the Long Form Assessment (LFA)?**
 - a. The patient is allowed to view the computer screen during the LFA if hearing impaired
 - b. The provider may provide cues during the LFA
 - c. The patient may be seated during the LFA if unable to stand
 - d. Both A & C

- 2. True or False:**

TRUE _____ It is recommended that providers assess their patients with discipline-specific assessments in addition to performing the Long Form Assessment pre & post-treatment.

- 3. What are the usually the easiest IM tasks to introduce in Phase One of IM Treatment?**
 - a. Both Hands, Right Hand, and/or Left Hand depending upon physical capabilities
 - b. Bilateral Tasks: Right Hand/Left Toe and Left Hand/Right Toe
 - c. Both Heels, Right Heel, and/or Left Heel depending upon physical capabilities
 - d. Each of the 13 IM tasks should be introduced in Phase One

- 4. What is the goal of Phase Two of IM Treatment?**
 - a. To begin improving rhythm and timing
 - b. To generalize rhythm and timing skills
 - c. To learn the reference tone
 - d. To learn the guide sounds

- 5. What IM feature should be adjusted if the metronome beat seems to be too fast for the patient?**
 - a. Tempo should be decreased
 - b. Volume of the guide sounds should be adjusted
 - c. Repetitions should be increased
 - d. Tempo should be increased

- 6. What IM feature should be adjusted if the patient is hypersensitive to sound?**
 - a. Volume of the metronome and guide sounds should be increased
 - b. Volume of the metronome and guide sounds should be decreased
 - c. Tempo should be increased
 - d. Task duration should be increased

7. What is the goal of Phase Four of IM Treatment?

- a. Learn the reference tone
- b. Improve sustained rhythm, focus & sensory processing
- c. Generalize rhythm and timing skills
- d. Learn the guide sounds

8. The very early/very late guide sounds like

- a. a rubberband twang
- b. a high pitch heard in both ears at the same time
- c. a cowbell
- d. a buzzer

9. When the high pitch reward guide sound is heard, the patient just clapped or tapped within

- a. 15 - 100 ms of the beat
- b. 0-15 ms of the beat
- c. 15 – 300 ms difficulty
- d. 0 – 50 ms of the beat

10. To make IM tasks easier or more challenging, the provider must adjust the following:

- a. tempo
- b. difficulty
- c. task duration or number of repetitions
- d. all of the above